EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6915	((multiple or plural$4 or two)near2 (block$1 or element$1 or devic$2 or component$1 or circuit$1))with ((communicat$4 or transfer$4 or send$3 or transmit$4)near5 ((common or shared or shar$4 or "same")adj bus or channel$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 09:26
L2	274	l1 and ((select$4 or choos$3 or chos$3 or adapt$4)near3 delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 09:28
L3	17	l1 and (((select$4 or choos$3 or chos$3 or adapt$4)near3 delay)with ((block$1 or element$1 or devic$2 or component$1 or circuit$1)near3 (communicat$4 or transfer$4 or send$3 or transmit$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 09:38
L4	47	l1 and (((select$4 or choos$3 or chos$3 or adapt$4)near3 delay)same ((block$1 or element$1 or devic$2 or component$1 or circuit$1)near3 (communicat$4 or transfer$4 or send$3 or transmit$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 11:10
L5	13	l1 and (variable adj5 (time adj delay))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 09:44
L6	2	l4 and (variable adj5 (time adj delay))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 09:41
L7	0	l5 and (multiplexer with (select$4 near6 delay))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 09:45

EAST Search History

L8	1	I5 and (multiplexer same (select$4 near6 delay))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 09:46
L9	9	I2 and (multiplexer same (select$4 near6 delay))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 09:49
L10	17	("5598413").URPN.	USPAT	OR	ON	2006/04/10 11:07
L11	1	("2003011499" "6681332" "2005035895").pN.	US-PGPUB; USPAT	OR	ON	2006/04/10 11:07
L12	1	("6839393").URPN.	USPAT	OR	ON	2006/04/10 11:22
S1	24	("6105144" "5742798" "6232806" "5668830" "5533072" "5550860" "6005428" "5150068" "5870441" "5577075" "5317601" "6577649" "5999032").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:10
S2	13	("6105144" "5742798" "6232806" "5668830" "5533072" "5550860" "6005428" "5150068" "5870441" "5577075" "5317601" "6577649" "5999032").pn.	USPAT; USOCR	OR	ON	2006/03/01 16:03
S3	5	"661859".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:16
S4	10	("661859" "6845436" "6105259").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:15
S5	7	("661859" "5828259").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:15

EAST Search History

S6	2	"6661859".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:26
S7	2	"5432823".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:27
S8	128	"5432823".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:28
S9	13	("661859" "6105144" "6845436" "6900664").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 16:16
S10	4	("6105144").URPN.	USPAT	OR	ON	2006/03/30 16:23
S11	7	("3784907" | "5280629" | "5465346" | "5509038" | "6105144" | "6202168" | "6335647").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/30 16:27
S12	29	("5280629").URPN.	USPAT	OR	ON	2006/03/30 16:32
S13	6	("3128465" | "4709402" | "4882739" | "5070537" | "5105439").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/30 16:37
S14	4	("5608896" | "5692165" | "5872959" | "5923198").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/30 16:37
S15	43	("5872959").URPN.	USPAT	OR	ON	2006/03/30 16:39
S16	96	((selecti$4 or adapt$5 or choo$4 or chos$3 or switch$4 or multiplex$4)near3 delay)with((sender or transmit$4)near3 (device or apparatus or circuit or block or logic))with ((receiv$4 or recept$5)near3 (device or apparatus or circuit or block or logic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 10:23

EAST Search History

S17	6	((skew near3 (compensat$4 or adjust$4 or nullif$4))near3 (circuit or logic or block))and (((shar$3 or common)near2 (bus or channel$1 or lin$2))same ((multiple or plural$4 or two)near2 (component$1 or circuits or block$1 or transceiv$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 10:20
S18	26	((((lew or skew or delay) near3 (compensat$4 or adjust$4 or nullif$4))near3 (circuit or logic or block))with data)and (((shar$3 or common)near2 (bus or channel$1 or lin$2))same ((multiple or plural$4 or two)near2 (component$1 or circuits or block$1 or transceiv$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 10:21
S19	3	((((lew or skew or delay) near3 (compensat$4 or adjust$4 or nullif$4))near3 (circuit or logic or block))with data)same (((shar$3 or common)near2 (bus or channel$1 or lin$2))same ((multiple or plural$4 or two)near2 (component$1 or circuits or block$1 or transceiv$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 10:27
S20	96	((selecti$4 or adapt$5 or choo$4 or chos$3 or switch$4 or multiplex$4)near3 (skew or slew or delay))with((sender or transmit$4)near3 (device or apparatus or circuit or block or logic))with ((receiv$4 or recept$5)near3 (device or apparatus or circuit or block or logic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 10:54
S21	3	(((((slew or skew or delay) near3 (compensat$4 or adjust$4 or nullif$4))near3 (circuit or logic or block))with data)same (((shar$3 or common)near2 (bus or channel$1 or lin$2))same ((multiple or plural$4 or two)near2 (component$1 or circuits or block$1 or transceiv$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 10:27

S22	3	((((slew or skew or delay) near3 (compensat$4 or adjust$4 or nullif$4))near3 (circuit or logic or block))with data)same (((shar$3 or common)near2 (bus or channel$1 or lin$2))same ((multiple or plural$4 or two)near2 (component$1 or circuits or block$1 or transceiv$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 10:42
S23	20	("5051754").URPN.	USPAT	OR	ON	2006/03/31 10:41
S24	2	((((slew or skew or delay) near3 (compensat$4 or adjust$4 or nullif$4))near3 (circuit or logic or block))near3 data)same (transceiv$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 10:45
S25	6	(((((slew or skew or delay) near3 (compensat$4 or adjust$4 or nullif$4))near3 (circuit or logic or block)))with sender	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 10:46
S26	466	((selecti$4 or adapt$5 or choo$4 or chos$3 or switch$4 or multiplex$4)near3 (skew or slew or delay))with((sender or transmit$4)near3 (device or apparatus or circuit or block or logic or identity or ID))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 11:02
S27	1	((selecti$4 or adapt$5 or choo$4 or chos$3 or switch$4 or multiplex$4)near3 (skew or slew or delay))with((sender or transmit$4)adj5 (identity or ID))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 11:05
S28	272	((selecti$4 or adapt$5 or choo$4 or chos$3 or switch$4 or multiplex$4)near3 (skew or slew or delay))with((sender or transmit$4)adj5 (first or second))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 11:05
S29	282	((selecti$4 or adapt$5 or choo$4 or chos$3 or switch$4 or multiplex$4)near3 (skew or slew or delay))with((sender or transmit$4)near3 (first or second))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 11:05

EAST Search History

S30	16	(S29 same (identity or ID))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 11:06
S31	16	(S29 same (identity or ID or identifier or identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 11:06
S32	3269	(multiple or plural$4 or two)near3 (device$2 or circuit$2 or apparatus or block$1 or logic)with ((transfer$4 or send$4 or sent or communicat$4 or transmit$4)with ((shar$5 or common or "same")near3 (bus or channels or lines)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:53
S33	0	S32 and ((((compensat$4 or adjust$4 or correct$4)near3 (skew$4 or drift$1 or slew or delay)) with ((different or respons$5 or respomd$4 or depend$4)adj5 ((send$4 or transmit$4 or transfer$4 or communicat$4)adj2 (device or cicuit or apparatus or block or logic))) same ((switch$4 or chang$4 or select$5 or adapt$5)adj2 delay$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:35
S34	10	((((compensat$4 or adjust$4 or correct$4)near3 (skew$4 or drift$1 or slew or delay)) with ((send$4 or transmit$4 or transfer$4 or communicat$4)adj2 (device or cicuit or apparatus or block or logic))) same ((switch$4 or chang$4 or select$5 or adapt$5)adj2 delay$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:44
S35	6	S32 and ((((compensat$4 or adjust$4 or correct$4)near3 (skew$4 or drift$1 or slew or delay)) with ((send$4 or transmit$4 or transfer$4 or communicat$4)adj2 (agent or device or cicuit or apparatus or block or logic)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:55

S36	329	(multiple or plural$4 or two)near3 (device$2 or circuit$2 or apparatus or block$1 or logic)with ((transfer$4 or send$4 or sent or communicat$4 or transmit$4)with ((shar$5 or common or "same")near3 (data adj(bus or channels or lines))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:54
S37	0	S36 and (((compensat$4 or adjust$4 or correct$4)near3 (skew$4 or drift$1 or slew or delay)) same ((send$4 or transmit$4 or transfer$4 or communicat$4)adj2 (agent or device or cicuit or apparatus or block or logic)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:56
S38	11	S36 and (((compensat$4 or adjust$4 or correct$4)near3 (skew$4 or drift$1 or slew or delay)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:58
S39	31	S36 same ((integrated adj circuit)or chip or IC or soic or asic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:57
S40	1	S39 and (((compensat$4 or adjust$4 or correct$4)near3 (skew$4 or drift$1 or slew or delay)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:57
S41	4	("6105144" "5828259").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 13:31
S42	4	("5608896" | "5692165" | "5872959" | "5923198").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/03 13:33
S43	1	("5268936").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/03 13:40
S44	4	("6105144").URPN.	USPAT	OR	ON	2006/04/03 13:41

EAST Search History

S45	34	("4332028" | "4956804" | "5239639" | "5278974" | "5479647" | "5572722" | "5577236" | "5608896" | "5615355" | "5623638" | "5692165" | "5815016" | "5835956" | "5857095" | "5886948" | "5896347" | "5923613" | "5940328" | "5946268" | "5946712" | "5953286" | "5987576" | "5987619" | "6003118" | "6016282" | "6034878" | "6043694" | "6044474" | "6067272" | "6072743" | "6075393" | "6105144" | "6131149" | "6185664").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/03 13:57
S46	5	(skew near3 (compensat$4 or alleviat$4 or eliminat$4))with (shared near2 (bus or channel$1 or lin$2 or signal$1 or trac$2 or path$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 14:15
S47	4	"5923198".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 07:55
S48	2	"5923198".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 07:56
S49	0	((integrated adj circuit)with ((multiple or plural$4 or two or more)adj (components or block$1 or agents or circuits or logic or elements)))same (shared adj (bus or lines or channels))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 07:59
S50	0	((integrated adj circuit)with (shared adj (bus or lines or channels)))same ((multiple or plural$4 or two or more)adj (components or block$1 or agents or circuits or logic or elements))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 08:00

EAST Search History

S51	12	((integrated adj circuit)with ((shared or comon or common) adj (bus or lines or channels)))same ((multiple or plural$4 or two or more)adj (components or block$1 or agents or circuits or logic or elements))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 08:33
S52	10702	((compensat$4 or adjust$4 or correct$4 or adjust$5)near3 (skew$4 or drift$1 or slew or delay)) .clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 13:19
S53	252	S52 same counter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 08:04
S54	2	S52 same ((shared or common or comon)adj bus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 08:05
S55	0	("6697385").URPN.	USPAT	OR	ON	2006/04/04 08:06
S56	8	("4677618" | "5361261" | "5406559" | "5600651" | "5771235" | "5777996" | "6118809" | "6295281").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/04 08:07
S57	28	("4677618").URPN.	USPAT	OR	ON	2006/04/04 08:14
S58	24852	"713"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 08:41
S59	0	S58 and ((((integrated adj circuit) or IC or asic or SOIC) with ((shared or comon or common) adj (bus or lines or channels)))same ((multiple or plural$4 or two or more)adj (components or block$1 or agents or circuits or logic or elements)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 10:01

S60	7	S58 and (((compensat$4 or adjust$4 or correct$4 or eliminat$4 or alleviat$4 or nullif$4)near3 (slew or skew$4 or drift$1 or slew or delay))same((shared or comon or common) adj (bus or lines or channels)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 08:41
S61	1	("6889334").URPN.	USPAT	OR	ON	2006/04/04 08:40
S62	53288	"714"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 08:53
S63	9	S62 and (((compensat$4 or adjust$4 or correct$4 or eliminat$4 or alleviat$4 or nullif$4)near3 (slew or skew$4 or drift$1 or slew or delay))same((shared or comon or common) adj (bus or lines or channels)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 08:53
S64	25323	"710"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 08:53
S65	21561	"386"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 08:53
S66	108334	"327"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 08:53
S67	95452	"370"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 08:53

S68	2	S64 and (((compensat$4 or adjust$4 or correct$4 or eliminat$4 or alleviat$4 or nullif$4)near3 (slew or skew$4 or drift$1 or slew or delay))same((shared or comon or common) adj (bus or lines or channels)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 08:54
S69	3	S65 and (((compensat$4 or adjust$4 or correct$4 or eliminat$4 or alleviat$4 or nullif$4)near3 (slew or skew$4 or drift$1 or slew or delay))same((shared or comon or common) adj (bus or lines or channels)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 08:58
S70	18	S66 and (((compensat$4 or adjust$4 or correct$4 or eliminat$4 or alleviat$4 or nullif$4)near3 (slew or skew$4 or drift$1 or slew or delay))same((shared or comon or common) adj (bus or lines or channels)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 08:59
S71	22	S67 and (((compensat$4 or adjust$4 or correct$4 or eliminat$4 or alleviat$4 or nullif$4)near3 (slew or skew$4 or drift$1 or slew or delay))same((shared or comon or common) adj (bus or lines or channels)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 10:00
S72	490	(((compensat$4 or adjust$4 or correct$4 or eliminat$4 or alleviat$4 or nullif$4)near3 (tim$4 or slew or skew$4 or drift$1 or delay))same((shared or comon or common) adj (bus or lines or channels)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 10:01
S73	113	S72 same (sender or transmi$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 13:12
S74	2	((select$4 or chos$3 or choos$4 or adapt$5)near3 (delay$1 near2 (block$1 or tap$1)))with ((devie or circuit)with ((shared or common)adj (bus or channel)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 13:15

EAST Search History

S75	2	S72 and ((select$4 or chos$3 or choos$4 or adapt$5)near3 (delay$1 near2 (block$1 or tap$1)))with ((devie or circuit)with ((shared or common)adj (bus or channel)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 13:16
S76	2	S72 and ((select$4 or chos$3 or choos$4 or adapt$5)near3 (delay$1 near2 (block$1 or tap$1)))with ((device or circuit)with ((shared or common)adj (bus or channel)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 13:17
S77	1	S52 and (((select$4 or chos$3 or choos$4 or adapt$5)near3 (delay$1 near2 (block$1 or tap$1)))with ((device or circuit)same ((shared or common)adj (bus or channel))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 13:18
S78	5	((((compensat$4 or adjust$4 or correct$4 or adjust$5)near3 (skew$4 or drift$1 or slew or delay))same ((shared or common)adj (bus or channel))) . clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 14:18
S79	120	multiplexer$1 with ((multiple or plural$4 or two)near3 delay$1) with (variable or programmable or configurable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 14:17
S80	0	S79 and (((compensat$4 or adjust$4 or correct$4 or adjust$4)near3 (skew$4 or drift$1 or slew or delay))same ((shared or common)adj (bus or channel)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 14:19
S81	74	S79 and (((compensat$4 or adjust$4 or correct$4 or adjust$4)near3 (skew$4 or drift$1 or slew or delay)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:24
S82	0	slect$3 near5 (first or second)with (delay adj (bock or tap$1))with (sender adj (location or identity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:26

EAST Search History

S83	0	slect$3 near5 (first or second)with (delay)with (sender adj (location or identity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:26
S84	0	slect$3 near5 (first or second)with (delay)with (sender adj (apart or distan$3 or proxy or location or identity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:27
S85	0	slect$3 near5 (first or second)with (delay)with ((apart or distan$3 or proxy or location or identity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:27
S86	0	slect$3 near5 (first or second)with (delay)same ((apart or distan$3 or proxy or location or identity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:28
S87	1	(slect$3 near5 delay)same ((apart or distan$3 or proxy or location or identity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:29
S88	4889	((slect$3 or adjust$4) near5 delay)same ((apart or distan$3 or proxy or location or identity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:30
S89	1591	((slect$3 or adjust$4) near5 delay)with ((apart or distan$3 or proxy or location or identity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:31
S90	22	S89 and (skew near3 compensat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:39

EAST Search History

S91	1	(skew near3 compensat$4)with ((multiple or plural$4 or two or first or second)near4 (delay$1 adj (block$1 or tap$1)))same ((variable or programmable or configurable)adj6 (time adj delay))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:46
S92	297	((multiple or plural$4 or three or two)near3 (elements or circuit$1 or agent$1 or block$1 or logic$1 or function$4))with((shar$3 or common) near3 (data adj (bus or channel$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:50
S93	0	S92 and ((skew near3 (compensat$4 or adjust$4 or alleviat$4 or eliminat$4 or ommit$4 or nullif$4))with ((multiple or plural$4 or two or first or second)near4 (delay$1 adj (block$1 or tap$1))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:49
S94	0	S92 and ((skew near3 (compensat$4 or adjust$4 or alleviat$4 or eliminat$4 or ommit$4 or nullif$4 or correct$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:48
S95	1	((skew near3 (compensat$4 or adjust$4 or alleviat$4 or eliminat$4 or ommit$4 or nullif$4))with ((multiple or plural$4 or two or first or second)near4 (delay$1 adj (block$1 or tap$1))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:58
S96	303	((multiple or plural$4 or three or two)near3 (component$1 or elements or circuit$1 or agent$1 or block$1 or logic$1 or function$4))with((shar$3 or common) near3 (data adj (bus or channel$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:57
S97	0	S96 and ((skew near3 (compensat$4 or adjust$4 or alleviat$4 or eliminat$4 or ommit$4 or nullif$4))with ((multiple or plural$4 or two or first or second)near4 (delay$1 adj (block$1 or tap$1))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:51

EAST Search History

S98	0	S96 and ((skew near3 (compensat$4 or adjust$4 or alleviat$4 or eliminat$4 or ommit$4 or nullif$4))same ((multiple or plural$4 or two or first or second)near4 (delay$1 adj (block$1 or tap$1))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:51
S99	0	((multiple or plural$4 or three or two)near3 (component$1 or elements or circuit$1 or agent$1 or block$1 or logic$1 or function$4))with((shar$3 or common) near3 (data adj (bus or channel$1)))and (skew near3 (compensat$4 or adjust$4 or alleviat$4 or eliminat$4 or ommit$4 or nullif$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:54
S10 0	1	((multiple or plural$4 or three or two)near3 (component$1 or elements or circuit$1 or agent$1 or block$1 or logic$1 or function$4))same((shar$3 or common) near3 (data adj (bus or channel$1)))and (skew near3 (compensat$4 or adjust$4 or alleviat$4 or eliminat$4 or ommit$4 or nullif$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:54
S10 1	4	("3214733").URPN.	USPAT	OR	ON	2006/04/04 15:55
S10 2	531	(((multiple or plural$4 or three or two)near3 (component$1 or elements or circuit$1 or agent$1 or block$1 or logic$1 or function$4))or (multi$component or multi$block1))same((shar$3 or common) near3 (data adj (bus or channel$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:58
S10 3	0	S102 and ((skew near3 (compensat$4 or adjust$4 or alleviat$4 or eliminat$4 or ommit$4 or nullif$4))same ((multiple or plural$4 or two or first or second)near4 (delay$1 adj (block$1 or tap$1))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 16:00
S10 4	1	S102 and ((skew near3 (compensat$4 or adjust$4 or alleviat$4 or eliminat$4 or ommit$4 or nullif$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 16:00

EAST Search History

S10 5	0	S102 and (((multiple or plural$4 or two or first or second)near4 (delay$1 adj (block$1 or tap$1))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 16:00
S10 6	88	S102 and (((multiple or plural$4 or two or first or second)near4 (delay$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 16:01
S10 7	51	S106 and multiplexer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 16:01
S10 8	364466	((multi$agent or multi$element or multi$component)or ((multiple or plural$4 or three or two or many or different)near2 (component$1 or element$1 or agent$1 or circuit$1 or logic$1)))and ((shared or common)near2 bus or channel$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 09:52
S10 9	526	S108 and ((send$4 or transmi$5 or receiv$4 or path)near2 skew)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 08:10
S11 0	559	S108 and ((send$4 or transmi$5 or receiv$4 or path or rout$3)near2 skew)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 09:47
S11 1	200	S108 and (((send$4 or transmi$5 or receiv$4 or path or rout$3)near2 skew)same (compensat$4 or elliminat$4 or alleviat$4 or adjust$4 or manag$4 or correct$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 09:48
S11 2	100	S111 and ((select$4 or choos$4 or chos$3 or adapt$5 or multiplex$3 or insert$5)with delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 09:50

EAST Search History

S11 3	228	S108 and (((send$4 or transmi$5 or receiv$4 or path or rout$3 or locat$4 or proximity or proxy)near2 skew)same ((compensat$4 or elliminat$4 or alleviat$4 or adjust$4 or manag$4 or correct$4)or deskew$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 09:49
S11 4	113	S113 and ((select$4 or choos$4 or chos$3 or adapt$5 or multiplex$3 or insert$5)with delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 09:55
S11 5	91345	((multi$agent or multi$element or multi$component)or ((multiple or plural$4 or three or two or many or different)near2 (component$1 or element$1 or agent$1 or circuit$1 or logic$1)))same ((shared or common)near2 bus or channel$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 09:53
S11 6	454	S115 and ((skew near3 (compensat$4 or elliminat$4 or alleviat$4 or adjust$4 or null$4))or deskew$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 09:54
S11 7	180	S116 and ((select$4 or choos$4 or chos$3 or adapt$5 or multiplex$3 or insert$5)with delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 09:55
S11 8	15	S116 and ((((select$4 or choos$4 or chos$3 or adapt$5 or multiplex$3 or insert$5)with delay)same ((locat$4 or sender or transmitter or communicat$4 or proximity or nearer or farth$3 or clos$3 or far or distant)near4 (element or component ot block or circuit or logic)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 10:08
S11 9	10	((skew or misalignment) with ((locat$4 or distan$3 or proximity or proxy or nearer or farther)near3 (based or depend$4 or reference)))and ((common or shar$3)near2 (bus or channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 10:13

S12 0	35	((skew or misalignment) same ((locat$4 or distan$3 or proximity or proxy or nearer or farther)))same ((common or shar$3)near2 (bus or channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 10:52
S12 1	6	("4457005" | "5126693" | "5361277" | "5463337" | "5604775" | "5657481").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 11:02
S12 2	15	("6282210").URPN.	USPAT	OR	ON	2006/04/05 11:04